



FINISHED GRADE.  
CONCRETE/ASPHALT/PAVERS.  
-SEE PLANS.

BASE COURSE

FORNIT 20/20  
AS MANUFACTURED BY  
HUESKER INC.  
PO BOX 411529  
CHARLOTTE NC.  
28241-1529  
TEL. 800.942.9418  
OR APPROVED EQUAL.

SUBGRADE- SHALL BE PREPARED AS PER CONCRETE and/or ASPHALT SPECIFICATIONS, SECTION B. HOWEVER, IN ADDITION, THE SUB-BASE SHALL BE EXCAVATED TO A MIN. DEPTH OF 12", REMOVING UNSUITABLE SUBGRADE MATERIAL AS NECESSARY IN ACCORDANCE WITH SPECIFICATIONS. ALSO, THE SUBGRADE SHALL BE ROLLED WITH A 10 TON ROLLER TO PROVIDE THE HARD, UNIFORM, SMOOTH, EVEN-BEARING UNYIELDING, SUBGRADE REQUIRED PRIOR TO PLACEMENT OF BASE COURSE FOR FINISHED PAVEMENTS



New York City Housing Authority  
Capital Projects Division  
Design Department  
90 Church Street, 10th Floor  
New York, NY 10007

Title:

***SUBGRADE STABILIZATION  
( 12" Depth Minimum )***

Contract Name:

**GROUNDS REQUIREMENT**

Contract No.

**GD XXXXXXX**

Drawn by:  
G. SOUKAS

Checked by:  
K. MARSHAL

Scale:

**Not to Scale**

Date:

**January 2017**

Drawing No.

**MIS- 04**