

**SECTION 10 14 16
PLAQUES**

PART 1 GENERAL

1.01 SECTION INCLUDES

- A. Plaques.

1.02 PRICE AND PAYMENT PROCEDURES

- A. Allowances:
 - 1. See Section 01 21 00 - Allowances for cash allowances affecting this section.
 - 2. Include cash allowance for purchase and delivery but not installation.

1.03 REFERENCE STANDARDS

- A. 36 CFR 1191 - Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Architectural Barriers Act (ABA) Accessibility Guidelines; current edition.
- B. ADA Standards - 2010 ADA Standards for Accessible Design; 2010.
- C. ICC A117.1 - Accessible and Usable Buildings and Facilities; 2017.

1.04 SUBMITTALS

- A. See Section 01 30 00 - Administrative Requirements for submittal procedures.
- B. Product Data: Manufacturer's product literature for each type of plaque sign, indicating style, font, foreground and background colors, locations, and overall dimensions of each sign.
- C. Shop Drawings: Indicate dimensions, locations, elevations, materials, text and graphic layout, and attachment details.
- D. Samples: One sample of each type of plaque sign, of size similar to that required for project, indicating style, font, and method of attachment.
- E. Selection Samples: Where materials, colors, and finishes are not specified, submit two sets of color selection charts or chips.
- F. Manufacturer's qualification statement.

1.05 QUALITY ASSURANCE

- A. Manufacturer Qualifications: Company specializing in manufacturing the products specified in this section with minimum three years of documented experience.

1.06 DELIVERY, STORAGE, AND HANDLING

- A. Package plaque signs as required to prevent damage before installation.
- B. Store under cover and elevated above grade.

PART 2 PRODUCTS

2.01 MANUFACTURERS

- A. Plaques:
 - 1. A.R.K. Ramos: www.arkramos.com/#sle.
 - 2. FASTSIGNS International, Inc; _____: www.fastsigns.com/#sle.
 - 3. Takeform: www.takeform.net/#sle.
 - 4. _____.
 - 5. Substitutions: See Section 01 60 00 - Product Requirements.

2.02 REGULATORY REQUIREMENTS

- A. Accessibility Requirements: Comply with ADA Standards and ICC A117.1 and applicable building codes, unless otherwise indicated; in the event of conflicting requirements, comply with the most restrictive requirements.

2.03 PLAQUES

- A. Metal Plaques:

1. Material: Bronze casting.
2. Material Thickness: Manufacturer's standard.
3. Size: 8 inches by 10 inches.
4. Text and Typeface:
 - a. Character Font: Times or other serif font.
 - b. Character Case: Upper case only.
 - c. Character Color: Contrast with background color.
5. Border Style: Ivy leaf.
6. Background Texture: Pebble.
7. Surface Finish: Brushed, satin.
8. Painted Background Color: Light oxide stain.
9. Protective Coating: Manufacturer's standard clear coating.
10. Mounting: Rosettes and toggle bolts.
 - a. Rosette Style: Star.
 - b. Rosette Diameter: 3/4 inch.
11. Products:
 - a. A.R.K. Ramos; Cast Plaques: www.arkramos.com/#sle.
 - b. _____.
 - c. _____.
 - d. Substitutions: See Section 01 60 00 - Product Requirements.

B. Glass Plaques:

1. Material Thickness: 1/8 inch, minimum.
2. Size: 8 inches by 10 inches.
3. Text and Typeface:
 - a. Character Font: Helvetica, Arial, or other sans serif font.
 - b. Character Case: Upper and lower case (title case).
 - c. Character Color: Contrast with background color.
4. Background Finish: Clear.
5. Protective Coating: Manufacturer's standard clear coating.
6. Mounting: Aluminum pegs, anodized.
7. Products:
 - a. _____.
 - b. _____.
 - c. _____.
 - d. Substitutions: See Section 01 60 00 - Product Requirements.

C. Acrylic Plaques:

1. Material Thickness: 1/4 inch, minimum.
2. Size: 8 inches by 10 inches.
3. Text and Typeface:
 - a. Character Font: Helvetica, Arial, or other sans serif font.
 - b. Character Case: Upper and lower case (title case).
 - c. Character Color: Contrast with background color.
4. Border Style: As indicated on drawings.
5. Background Texture: Smooth.
6. Background Color: White.
7. Mounting: Wall standoffs.
 - a. Standoff Diameter: 1/2 inch.
8. Products:
 - a. _____.
 - b. _____.
 - c. _____.
 - d. Substitutions: See Section 01 60 00 - Product Requirements.

2.04 ACCESSORIES

- A. Concealed Screws: Noncorroding metal; stainless steel, galvanized steel, chrome plated, or other.
- B. Exposed Screws: Solid brass.

PART 3 EXECUTION

3.01 EXAMINATION

- A. Verify that substrate surfaces are ready to receive work.
- B. Notify Architect if conditions are not suitable for installation of signs; do not proceed until conditions are satisfactory.

3.02 INSTALLATION

- A. Install in accordance with manufacturer's instructions.
- B. Install with horizontal edges level.
- C. Locate plaque signs and mount at heights indicated on drawings and in accordance with ADA Standards and ICC A117.1.
- D. Protect from damage until mm-dd-yyyy; repair or replace damaged items.

END OF SECTION 10 14 16